



#### There's less of it, but no less to it.

Mini series LED controller collected pithy research and development of LED controller for 12 years, abandon the past there are many disadvantages of infrared remote control, using advanced RF remote control, wireless signal with strong penetrating power, no longer restricted by all kinds of blockage.

4096 / road grey scale (most of them is 256 in the market), high grayscale performance is more outstanding, the light is more gentle, dynamic changing modes become more rich and colorful. With innovative technology design: One receiver compatible with six different functions of the remote control (patent technology), that is use one receiver can experience dimming, color temperature and RGB controlled, which can satisfied the different demands of client.

Mini series with high cost performance and creative design. They can experience humanized design concept when traders in sales, engineers in installation and the clients in using.





**Product parameter** 



www.multitaskingcorporation.com

M1, M2, M3, M5, M6, M7 Remote Control		
Working voltage		DC3V(Battery CR2032)
Working Frequency		433.92 MHz
Remote Distance		40-50m
Working Temp.		-20°C~55°C
Dimensions		L104×W60×H9mm
Weight (N.W.)		42g
One set weight (G.W	.)	120g
M3-3A Receiving controller		
Power input	DC12V-DC24V	
Max Current load	Max 3A ×3CH	
Max Output power	108W/216W (12V/24V)	
Compatible remote	M1/M2/M3/M5/M6/M7	
Working Temp.	-30°C~55°C	
Dimensions	L135×W30×H20mm	
Weight (N.W.)	47g	



#### Blister package:



#### Individual package:



M3-3A Receiver



Remote Control






www.multitaskingcorporation.com



**Product feature** 



## Small figure, big function

Mini controller volume is only 1/3 of the conventional controller, but can implement features such as dimming, RGB and color temperature control.





UTIONS PROVIDER

**IOM** 

www.multitaskingcorporation.com

Chic, very talented

Back of remote control through a scrub treatment, it isn't easily slipped in your hands; it's show noble beacuse it use piano black with white edges on table in stark contrast.Perfect size, one-hand control,perform well.





#### 6 Remote controllers for optional

One receiver compatible 6 different functions remote controllers. Dimmer, color temperature, RGB, select what you want. Such as, M3,M6 and M7 control the receiver connected with RGB lights meanwhile, and function is 3 times than general ones.





#### 10 remote control for 1 receiver

1 receiver can be controlled by 10 same or different RF remote at most for dimming .

# RF radio frequency (RF) remote control, strong penetration ability of the wall

RF radio frequency (RF) remote control, wireless signal strong penetrating power, even if there is an obstacle in front can be controlled, the partition of remote control; ID code, independent each other



## To simplify

Well-designed remote control operation key, Useful features, rejection of complex instructions, enjoy the colorful world.





www.multitaskingcorporation.com



#### Low power consumption

The touch color wheel remote control is used new circuit design which will be lower power consumption, Only use CR2032 button batteries, the first one in the industry, making the remote control more lighter and thinner.

#### Humanized wall bracket

With this humanized wall bracket which can fix the remote on obviously place of wall, You will not be bothered to find the remote.

