

SLDY-345F

No Wiring No electricity!



Product name: Solar Powered Garden lights

SLDY 345F

Main Material	ANTI -UV Engineering plastics
Light color	Pure white/Warm white
Product Size	24.6 x36.3 mm
Body color	grey
Solar panel	6.0v, 383mA, 2.3W Mono
Battery	3.2v , Capacity 1500Ah x2 Li Fe battery
Light source	SMD LED , 0.06W 12pcs high power LED
Working Hours	8 to 10 hours
Lumen	150 - 30 Lux
Controller	Intelligent controller:light/time intelligent control, Auto light sensor control , Automatically on/off

No Wiring
No electricity



www.senslights.com

Email: info@senslights.com

SLDY-345F




Protection level	IP65
Color Temperature:	2700-6500K
Charging time	4 hours
Working time	10-12hours,battery capacity providing 2-3continuous cloudy or rainy days backup
Temperature Range	-40 -- +80 Degree
Packing	with foamed plastic inside to protect solar panel, pole, base from scar, 5mm solid paper box

No Wiring No electricity!


100% solar powered, No wiring, Easy installation, save money, energy and human resources, Maintenance free, Easily moved to another desired location.

Advantages:

- 100% solar powered
- No wiring, Easy installation
- save money, energy and human resources
- Maintenance free
- Easily moved to another desired location



LiFePO₄ Rechargeable Battery Pack



No Wiring
No electricity



SLDY-345F



No Wiring No electricity!

1. Maintenance / Cleaning

Switch off the luminaire before maintenance and cleaning.

Repairs should only be carried out by qualified persons and using genuine spare parts. Inappropriate repairing could cause significant danger.

WARNING: The use of any accessory not specified in this manual may present a risk of personal injury.

Cleaning of solar panel in summer / winter

Changing rechargeable battery

Long-time storage (exposure to light, charge/discharge cycle)

If you need any support please contact: support@senslights.com

2. Others (Service, Repairing, Guarantee, etc ...)

-Have your product repaired by a qualified person

This electric product is in accordance with the relevant safety requirements. Repairs should only be carried out by qualified persons using original spare parts, otherwise this may result in considerable danger to the user.

- Please contact the SensLights store which you bought the product for after sale services if any. Or contact: support@senslights.com



www.senslights.com



Email: info@senslights.com